


Evaluation of fastNLO tables


Daniel Britzger, Klaus Rabbertz, Georg Sieber

Institut für Experimentelle Kernphysik (IEKP) - KIT



Structure of the fastNLO reader interface

■ Class structure of the fastNLO reader code





Evaluation of fastNLO tables

- In addition to a fastNLO table two more ingredients are needed
 - the PDF
 - an α_S evolution
- The user can freely define these and pass them to the fastNLO reader code

```
class fastNLOUser : public fastNLOReader {  
  
public:  
    fastNLOUser(string tablename);  
  
protected:  
    // inherited functions  
    double EvolveAlphas(double Q) const ;  
    vector<double> GetXFX(double xp, double muf) const ;
```



Example of a fastNLO Reader interface

copied from the HERAFitter repository

```
FastNLOHeraFitter::FastNLOHeraFitter(string tablename) :  
fastNLOReader(tablename) {  
}
```

```
double FastNLOHeraFitter::EvolveAlphas(double Q) const {  
    // Implementation of Alpha_s evolution as function of the  
    // factorization scale [and alphas(Mz)].  
    double mu2 = Q*Q;  
    return HF_GET_ALPHAS_WRAP( &mu2 );  
}
```

```
vector<double> FastNLOHeraFitter::GetXFX(double xp, double muf) const {  
    // GetXFX is used to get the parton array from the  
    // pdf-interface. It should return a vector of 13  
    // parton flavors from tbar to t at a certain  
    // x-proton and factorisation scale.  
    double muf2 = muf*muf;  
    vector < double > xfx(13);  
    HF_GET_PDFS_WRAP(&xp, &muf2, &xfx[0]);  
    return xfx;  
}
```



Example code

- Simple example how to calculate a cross section

```
//-- Tablename
string tablename = "fnl1014_I902309.tab";
//--- PDF set
string PDFFile = "CT10nlo.LHgrid";

// --- this is your playground to use fastNLO
// Calculate cross sections and/or test some options

//--- example calculation
fastNLOLHAPDF fnlo(tablename,PDFFile,0); // initialize a fastNLO instance
// with interface to LHAPDF.
fnlo.PrintTableInfo(); // print some information
fnlo.CalcCrossSection(); // Calculate the cross section
fnlo.PrintCrossSections(); // Print cross section to screen

vector<double> cs = fnlo.GetCrossSection(); // Access cross sections
```



Theory/Data comparison using Rivet tools

- Using the tool 'fnlo-tk-yodaout', we fill histograms that can be fed into the Rivet plotting tools

```
$ fnlo-tk-yodaout fnl2342b_I902309_HepForge.tab CT10nlo.LHgrid  
$ fnlo-tk-yodaout fnl2342b_I902309_HepForge.tab HERAPDF15NLO_EIG.LHgrid
```

- The virtual machine ships an ancient Rivet version not yet supporting YODA but the old format AIDA. So we convert the histograms to the old format

```
$ yoda2aida CT10nlo_1_1.yoda  
$ yoda2aida HERAPDF15NLO_EIG_1_1.yoda
```



- Now we can use the Rivet plotting tool to create the figures

```
$ rivet-mkhtml CT10nlo_1_1.aida HERAPDF15NLO_EIG_1_1.aida
```

- and look at them in a browser

```
$ firefox plots/CMS_2011_S9086218/index.html
```

Theory/Data comparison using Rivet tools





Changing the value of α_S

- Easiest way is to use a PDF from LHAPDF which was determined with the wished α_S value

```
$ fnlo-tk-yodaout fnl2342b_I902309_HepForge.tab CT10nlo_as_0124.LHgrid
```

- Again we have to convert the YODA histogram into the old AIDA format

```
$ yoda2aida CT10nlo_as_0124_1_1.yoda
```

- Use the Rivet plotting tool to create the figures

```
$ rivet-mkhtml CT10nlo_1_1.aida CT10nlo_as_0124_1_1.aida
```

- and look at them in a browser

```
$ firefox plots/CMS_2011_S9086218/index.html
```

Theory/Data comparison using Rivet tools

